



Low Profile Cylinder Kit

- Remove truck wheel with the mini-press.
- Fits between chassis and wheel.



MINI-PRESS



**AN APPLICATION:
PRESS TRUCK WHEEL
FROM NAVE WITH THE
MINI-PRESS.**

**Fits between
chassis and wheel.**

HL-1001-D



MINI-PRESS HL1001 ADAPTERS

Capacity: 10 TON
Minimum Height: 88mm
Stroke: 38mm



3 aluminium adapters:
25mm, 50mm en 75mm.



Metal end-part.
Height 10mm..




10mm + 88mm
(98mm)




10mm + 25mm + 88mm
(123mm)




10mm + 50mm + 88mm
(148mm)




10mm + 75mm + 88mm
(172mm)



10mm + 25mm + 75mm + 88mm
(198mm)



10mm + 50mm + 75mm + 88mm
(223mm)



10mm + 25mm + 50mm + 75mm + 88mm
(248mm)

| Model Number | Capacity kN | Cylinder Effective Area | Internal Pressure at Capacity | C | D | E | G | L | M |
|------------------------------------|-------------|-------------------------|-------------------------------|-----------|-----------|--------|--------------|-------------|------|
| | | Cylinder Bore Ø | | Outside Ø | Plunger Ø | Thread | Thread Depth | Bolt Circle | |
| | | (cm²) | | (mm) | (mm) | | (mm) | (mm) | (mm) |
| CYLINDER CAPACITY: 10 TON = 106 kN | | | | | | | | | |
| HL1001 | 106 | 15 | 587 | 44 | 70 | 38 | M4 | 8 | 26 |

Accessories

Fitting



Hose



Gauge



Hand Pump

